

# GRAVITY SEPARATORS

GRAVITY



MANUFACTURING



THE MARC™ SERIES

WORLD LEADER IN THE NUT, SEED & GRAIN INDUSTRIES



HIGH EFFICIENCY FAN



HEAVY DUTY DRIVE SYSTEM

# High capacity.

**Total, exact, distinct product separation.**

## THE MARC™ SERIES

named after LMC's founding father, sets the industry standard for reliability, durability and flexibility. From its innovative discharge system to its hallmark ripple deck coverings, the Marc produces precise, exact separations. Customers expect any gravity separator to separate products according to specific gravity. However, the completeness of separation is a key component of success. Only with an LMC Marc can you obtain a total, exact and distinct separation. LMC's Marc Series has the capability to recognize extremely close differences in specific densities.

### LMC's On Site Laboratory

*LMC offers a free laboratory analysis of your product to discover its separating challenges. Send your product to LMC and the laboratory will perform tests to evaluate various separating and cleaning options. Based on the research, LMC's diagnostic team will make an integrated system recommendation for your product.*




### Three Key Components: **Reliability, Durability, Flexibility**

Reliability and durability have a great impact on a facility's bottom line. LMC's Marc Gravity Separators are built with heavy duty frames and precise mechanical design features. Since the Marc is so well built, customers typically realize a decrease in repairs and downtime. Through expert research and development, the Gravity Separator has the ability to work with any dry, flowable product. This flexibility, along with the separator's ease of operation, has made LMC a leader in the separating and cleaning industry.



**RIPPLE DECK DESIGN**

**THE RIPPLE DECK DESIGN** gives the deck covering more traction for the separating process. A more complete and distinct product separation is achieved.



**AUTOMATIC DISCHARGE SYSTEM**

**THE AUTOMATIC DISCHARGE SYSTEM** senses product depth and adjusts the discharge gate for fluctuations in product flow. This consistent bed depth eliminates constant readjustment.



**MULTI-LIGHTS ADJUSTABLE GATES**

**MULTI-LIGHTS ADJUSTABLE GATES** enable precise control when adjusting light product discharge.

**A GREATER BED DEPTH** than other gravity separators actually allows LMC's Gravity Separator to use the product to make more precise separations.

**ON THE DECK RECIRCULATION** eliminates the need to have middle cuts. Middle cuts, with more handling, increase product damage. Gone are the blends seen on other gravity separators.

## additional features

- *The Counterbalanced Construction greatly reduces vibrations and extends machine life.*
- *The AC inverter controls with a digital RPM display on the eccentric and fan motors allow simple micro speed adjustments.*
- *A Dust Hood is available as an option.*

**THE FLUIDIZED BED** is created using a single super-quiet, high-efficiency fan.

**THREE COMPONENT DECK SYSTEM** (Deck Cap, Insert, Diffusion Plate) allows for easy change between product changes and sanitation.

## product capacity specifications

MARC MODEL	CAPACITY	SMALL SEED	MEDIUM SEED	LARGE SEED	ENERGY		DUST HOOD CFM REQ.	WEIGHT lbs/kg	DIMENSION		
					ECC	FAN			HT	WD	LG
500	620 cu. ft/hr	170 bu/hr 4627 kg/hr	400 bu/hr 10,886 kg/hr	500 bu/hr 13,608 kg/hr	3 HP	15 HP	17,000	7050/3198	82 1/2" 210 CM	80" 203 CM	128" 325 CM
400	420 cu. ft/hr	102 bu/hr 2776 kg/hr	240 bu/hr 6532 kg/hr	350 bu/hr 8165 kg/hr	3 HP	10 HP	15,000	5550/2517	82 1/4" 209 CM	68" 173 CM	104" 264 CM
300	310 cu. ft/hr	85 bu/hr 2313 kg/hr	200 bu/hr 5433 kg/hr	250 bu/hr 6804 kg/hr	3 HP	7.5 HP	10,000	4600/2086	81 3/4" 208 CM	68" 173 CM	85 11/16" 218 CM
200	200 cu. ft/hr	55 bu/hr 1497 kg/hr	128 bu/hr 3484 kg/hr	160 bu/hr 4355 kg/hr	2 HP	5 HP	8,000	3800/1723	81 3/4" 208 CM	63 1/2" 161 CM	80" 203 CM

*Note: Capacities of Gravity Separators vary according to the differences in the specific gravity and particle size of the commodities being separated. Capacities will vary depending upon how close a separation is required.*

## food safety construction

The Marc is designed per food quality construction standards. The finishes and contact surfaces meet the rigid requirements for proper sanitation. Sanitary design is particularly important in today's processing where our customers are continuously changing between food products. The Marc is self cleaning and the screens can be changed in less than 20 minutes. Our customers find the Marc Series bolsters their ability to produce cleaner and safer food products.

LMC's integrated systems form the basis of an efficient manufacturing process. With emphasis on performance, reliability, and customer satisfaction, LMC engineers and customizes world class machinery.

Aspirators      Bean Polishers      Cleaners      Conveyors      Destoners      Elevators  
 Gravity Separators      Hard Shell Crackers      Peanut Blanchers      Peanut Shellers  
 Prehullers      Shear Rolls      Sizing Shakers



MANUFACTURING

Lewis M. Carter Manufacturing Company Inc.  
 Post Office Box 428  
 615 Highway 84 West  
 Donalsonville, GA 39845

229-524-2197  
 1-800-332-8232  
 www.lmcarter.com